INDEX TO AUTHORS

ABELL, MURRAY R. See WARD, JOHNSON, and ABELL, 463
AKIYAMA, HAJIME J. See FONG, CHIN, AKIYAMA, and ELBERG, 523
ATKINS, ELISHA. See HALL and ATKINS, 339

BARROW, P. See GREEN, FLEISCHER, BARROW, and GOLDBERG, 511
BEARN, A. G., and FRANKLIN, E. C. Comparative studies on the physical characteristics of the heritable haptoglobin groups of human serum, 55
BOYER, GEORGIANA S., DENNY, FLOYD W., JR., and GINSBERG, HAROLD S. Intracellular localization of type 4 adenovirus. II. Cytological and fluorescein-labelled antibody studies, 85
BOZEMAN, F. MARILYN. See COHN, BOZEMAN, CAMPBELL, HUMPHRIES, and SAWYER, 271
BRIZIARELLI, GIULIANO. See HUGGINS, BRIZIARELLI, and SUTTON, 25
BRODSKY, ISADORE, ROWE, WALLACE P., HARTLEY, JANET W., and LANE, WILLIAM T. Studies of mouse polyoma virus infection. II. Virus stability, 439

CAMPBELL, DAN H. See ISHIZAKA, ISHIZAKA, and CAMPBELL, 127
CAMPBELL, JANIS M. See COHN, BOZEMAN, CAMPBELL, HUMPHRIES, and SAWYER, 271
CHANG, R. SHIHMAN. Participation of bicarbonate in RNA and protein syntheses as indicated by virus propagation in human cells, 229
CHIN, DENNIS. See FONG, CHIN, AKIYAMA, and ELBERG, 523
COCHRANE, C. G. See YUILE, LUCAS, NEUBECKER, COCHRANE, and WHIPPLE, 165
COHN, ZANVIL A., BOZEMAN, F. MARILYN, CAMPBELL, JANIS M., HUMPHRIES, JAMES W., and SAWYER, THOMAS K. Study on growth of rickettsiae. V. Penetration of *Rickettsia tsutsugamushi* into mammalian cells *in vitro*, 271
COOK, B. See FEDOROFF and COOK, 615
CROMARTIE, WILLIAM J. See SCHWAB, CROMARTIE, and ROBERSON, 43

DALY, MARIE M., and GURPIDE, E. GAMBETTA. The respiration and cytochrome oxidase activity of rat aorta in experimental hypertension, 187
DEICHER, H. R. G., HOLMAN, H. R., and KUNKEL, H. G. The precipitin reaction between DNA and a serum factor in systemic lupus erythematosus, 97
DENNY, FLOYD W., JR., and GINSBERG, HAROLD S. Intracellular localization of type 4 adenovirus. I. Cellular fractionation studies, 69
—. See BOYER, DENNY, and GINSBERG, 85
DIXON, MARY K. See GINSBERG and DIXON, 407

EATON, MONROE D. See LIU, EATON, and HEYL, 545
ELBERG, SANFORD S. See FONG, CHIN, AKIYAMA, and ELBERG, 523

ESTES, JOHN D. See ROWE, HARTLEY, ESTES, and HUEBNER, 379
—. See ROWE, HARTLEY, LAW, and HUEBNER, 449

FEDOROFF, S., and COOK, B. Effect of human blood serum on tissue cultures. II. Development of resistance to toxic human serum in fibroblast-like cells (Earle's strain L) obtained from a C_3H mouse, 615
FISHER, HAROLD W., PUCK, THEODORE T., and SATO, GORDON. Molecular growth requirements of single mammalian cells. III. Quantitative colonial growth of single S3 cells in a medium containing synthetic small molecular constituents and two purified protein fractions, 649
FLEISCHER, R. A. See GREEN, FLEISCHER, BARROW, and GOLDBERG, 511
FONG, JACOB, CHIN, DENNIS, AKIYAMA, HAJIME J., and ELBERG, SANFORD S. Studies on tubercle bacillus-monocyte relationship. III. Conditions affecting the action of serum and cells. Modification of bacilli in an immune system, 523
FRANKLIN, E. C. See BEARN and FRANKLIN, 55
FRIEND, CHARLOTTE. Immunological relationships of a filterable agent causing a leucemia in adult mice. I. The neutralization of infectivity by specific antiserum, 217

GINSBERG, HAROLD S., and DIXON, MARY K. Deoxyribonucleic acid (DNA) and protein alterations in HeLa cells infected with type 4 adenovirus, 407
—. See BOYER, DENNY, and GINSBERG, 85
—. See DENNY and GINSBERG, 69
GITTES, R. F. See RUSSELL and GITTES, 571
GOLDBERG, BURTON, and GREEN, HOWARD. The cytotoxic action of immune gamma globulin and complement on Krebs ascites tumor cells. I. Ultrastructural studies, 505
—. See GREEN, FLEISCHER, BARROW, and GOLDBERG, 511
GOOD, ROBERT A. See VERNIER, PAPERMASTER, and GOOD, 115
GREEN, HOWARD, FLEISCHER, R. A., BARROW, P., and GOLDBERG, BURTON. The cytotoxic action of immune gamma globulin and complement on Krebs ascites tumor cells. II. Chemical studies, 511
—. See GOLDBERG and GREEN, 505
GROSS, JEROME. Studies on the formation of collagen. IV. Effect of vitamin C deficiency on the neutral salt-extractible collagen of skin, 557
GURPIDE, E. GAMBETTA. See DALY and GURPIDE, 187

HALL, CHARLES H., JR., and ATKINS, ELISHA. Studies on tuberculin fever. I. The mechanism of fever in tuberculin hypersensitivity, 339
HARTLEY, JANET W. See BRODSKY, ROWE, HARTLEY, and LANE, 439
—. See ROWE, HARTLEY, ESTES, and HUEBNER, 379
—. See ROWE, HARTLEY, LAW, and HUEBNER, 449
HENDEE, EDELMIRA D. See STRAUSS and HENDEE, 145
HEYL, JAMES T. See LIU, EATON, and HEYL, 545
HOLLAND, JOHN J., and MCLAREN, LEROY C. The mammalian cell-virus relationship. II. Adsorption, reception, and eclipse of poliovirus by HeLa cells, 487
HOLLAND, JOHN J. See MCLAREN, HOLLAND, and SYVERTON, 475

HOLMAN, H. R. G. See DEICHER, HOLMAN, and KUNKEL, 97
HUEBNER, ROBERT J. See ROWE, HARTLEY, ESTES, and HUEBNER, 379
—. See ROWE, HARTLEY, LAW, and HUEBNER, 449
HUGGINS, CHARLES, BRIZIARELLI, GIULIANO, and SUTTON, HAROLD, JR. Rapid induction of mammary carcinoma in the rat and the influence of hormones on the tumors, 25
HUMPHRIES, JAMES W. See COHN, BOZEMAN, CAMPBELL, HUMPHRIES, and SAWYER, 271

ISHIZAKA, KIMISHIGE, ISHIZAKA, TERUKO, and CAMPBELL, DAN H. The biological activity of soluble antigen-antibody complexes. II. Physical properties of soluble complexes having skin-irritating activity, 127
ISHIZAKA, TERUKO. See ISHIZAKA, ISHIZAKA, and CAMPBELL, 127
ITOH, HEIHACHI, and MELNICK, JOSEPH L. Double infections of single cells with ECHO 7 and Coxsackie A9 viruses, 393

JACKSON, STANLEY, MACLEOD, COLIN M., and KRAUSS, MARJORIE R. Determination of type in capsulated transformants of pneumococcus by the genome of noncapsulated donor and recipient strains, 429
JOHNSON, ARTHUR G. See WARD, JOHNSON, and ABELL, 463

KANDA, YUKISHIGE, and MELNICK, JOSEPH L. *In vitro* differentiation of virulent and attenuated polioviruses by their growth characteristics on MS cells, 9
KEELER, RICHARD F., and LOVELACE, STUART A. The metabolism of silicon in the rat and its relation to the formation of artificial siliceous calculi, 601
KIMURA, YOSHITAMI. See SLADE and KIMURA, 589
KRAUSS, MARJORIE R. See JACKSON, MACLEOD, and KRAUSS, 429
KUNKEL, H. G. See DEICHER, HOLMAN, and KUNKEL, 97

LANE, WILLIAM T. See BRODSKY, ROWE, HARTLEY, and LANE, 439
—. See ROWE, HARTLEY, LAW, and HUEBNER, 449
LAW, LLOYD W. See ROWE, HARTLEY, LAW, and HUEBNER, 449
LIEPINS, HELEN. See CHANG, 229
LIU, CHIEN, EATON, MONROE D., and HEYL, JAMES T. Studies on primary atypical pneumonia. II. Observations concerning the development and immunological characteristics of antibody in patients, 545
LOVELACE, STUART A. See KEELER and LOVELACE, 601
LUCAS, F. V. See YUILE, LUCAS, NEUBECKER, COCHRANE, and WHIPPLE, 165
—. See YUILE, LUCAS, OLSON, and SHAPIRO, 173

MACLEOD, COLIN M. See JACKSON, MACLEOD, and KRAUSS, 429
MCCARTY, MACLYN. The occurrence of polyglycerophosphate as an antigenic component of various Gram-positive bacterial species, 361
MCLAREN, LEROY C., HOLLAND, JOHN J., and SYVERTON, JEROME T. The mammalian cell-virus relationship. I. Attachment of poliovirus to cultivated cells of primate and nonprimate origin, 475
—. See HOLLAND and MCLAREN, 487

MELNICK, JOSEPH L. See ITOH and MELNICK, 393
—. See KANDA and MELNICK, 9

NEUBECKER, R. D. See YUILE, LUCAS, NEUBECKER, COCHRANE, and WHIPPLE, 165
NISHIO, JANE. See SALVIN and SMITH, 325
NOYES, WILBUR FISKE. Studies on the Shope rabbit papilloma virus. II. The location of infective virus in papillomas of the cottontail rabbit, 423

OLSON, J. P. See YUILE, LUCAS, OLSON, and SHAPIRO, 173

PAGE, IRVINE H. See SCANU and PAGE, 239
PAPERMASTER, BENJAMIN W. See VERNIER, PAPERMASTER, and GOOD, 115
PUCK, THEODORE T. See FISHER, PUCK, and SATO, 649

RICHTER, GOETZ W. The cellular transformation of injected colloidal iron complexes into ferritin and hemosiderin in experimental animals. A study with the aid of electron microscopy, 197
ROBBINS, JOHN, and STETSON, CHANDLER A., JR. An effect of antigen-antibody interaction on blood coagulation, 1
ROBERSON, BOB S. See SCHWAB, CROMARTIE, and ROBERSON, 43
ROTHBARD, SIDNEY, and WATSON, ROBERT F. Renal glomerular lesions induced by rabbit anti-rat collagen serum in rats prepared with adjuvant, 633
ROWE, WALLACE P., HARTLEY, JANET W., ESTES, JOHN D., and HUEBNER, ROBERT J. Studies of mouse polyoma virus infection. I. Procedures for quantitation and detection of virus, 379
ROWE, WALLACE P., HARTLEY, JANET W., LAW, LLOYD W., and HUEBNER, ROBERT J. Studies of mouse polyoma virus infection. III. Distribution of antibodies in laboratory mouse colonies, 449
—. See BRODSKY, ROWE, HARTLEY, and LANE, 439
RUSSELL, P. S., and GITTES, R. F. Parathyroid transplants in rats. A comparison of their survival time with that of skin grafts, 571

SALVIN, S. B., and SMITH, ROBERT F. Delayed hypersensitivity in the development of circulating antibody. The effect of x-irradiation, 325
SATO, GORDON. See FISHER, PUCK, and SATO, 649
SAWYER, THOMAS K. See COHN, BOZEMAN, CAMPBELL, HUMPHRIES, and SAWYER, 271
SCANU, ANGELO, and PAGE, IRVINE H. Separation and characterization of human serum chylomicrons, 239
SCHWAB, JOHN H., CROMARTIE, WILLIAM J., and ROBERSON, BOB S. Identification of a toxic cellular component of Group A streptococci as a complex of group-specific C polysaccharide and a protein, 43
SHAPIRO, A. B. See YUILE, LUCAS, OLSON, and SHAPIRO, 173
SLADE, HUTTON D., and KIMURA, YOSHITAMI. Studies on *Streptococcus pyogenes*. IV. Effect of whole cells, M and C antigens, and other components of the cell on adrenalectomized rats, 589
SMITH, BRITTON H. See ROWE, HARTLEY, LAW, and HUEBNER, 449
SMITH, ROBERT F. See SALVIN and SMITH, 325
STETSON, CHANDLER A., JR. See ROBBINS and STETSON, 1
STRAUSS, NORMAN, and HENDEE, EDELMIRA D. The effect of diph-

theria toxin on the metabolism of HeLa cells, 145
SUTTON, HAROLD, JR. See HUGGINS, BRIZIARELLI, and SUTTON, 25
SYVERTON, JEROME T. See MCLAREN, HOLLAND, and SYVERTON, 475

VERNIER, ROBERT L., PAPERMASTER, BENJAMIN W., and GOOD, ROBERT A. Aminonucleoside nephrosis. I. Electron microscopic study of the renal lesion in rats, 115

WAKSMAN, BYRON H. A histologic study of the auto-allergic testis lesion in the guinea pig, 311
WARD, PETER A., JOHNSON, ARTHUR G., and ABELL, MURRAY R. Studies on the adjuvant action of bacterial endotoxins on antibody formation. III. Histologic response of the rabbit spleen to a single injection of a purified protein antigen, 463
WATSON, ROBERT F. See ROTHBARD and WATSON, 633
WHIPPLE, G. H. See YUILE, LUCAS, NEUBECKER, COCHRANE, and WHIPPLE, 165
WILGRAM, GEORGE F. Experimental atherosclerosis and cardiac infarcts in rats, 293
WILSON, ARMINE T. The relative importance of the capsule and the M antigen in determining colony form of Group A streptococci, 257

YUILE, C. L., LUCAS, F. V., NEUBECKER, R. D., COCHRANE, C. G., and WHIPPLE, G. H. Depletion of reserve protein from extravascular extracellular fluid. C^{14} labelling of plasma proteins in dogs after plasmapheresis, 165
—, —, OLSON, J. P., and SHAPIRO, A. B. Plasma protein turnover and tissue exchange. Influence of dietary protein and protein depletion, 173

INDEX TO SUBJECTS

ACID, deoxyribonucleic, and protein alterations in HeLa cells infected with type 4 adenovirus, 407

—, deoxyribonucleic, and serum factor in systemic lupus erythematosus, precipitin reaction between, 97

—, ribonucleic, and protein syntheses, bicarbonate in, as indicated by virus propagation in human cells, 229

Adenovirus, type 4, deoxyribonucleic acid and protein alterations in HeLa cells infected with, 407

—, type 4, intracellular localization, cytological and fluorescein-labelled antibody studies, 85

—, type 4, intracellular localization in fractionation studies, 69

Adrenalectomized rats, effect of whole cells, M and C antigens, and other components of cell on, in studies on *Streptococcus pyogenes*, 589

Adsorption, reception, and eclipse of poliovirus by HeLa cells, 487

Allergic, auto-, testis lesion, histologic study, 311

Aminonucleoside nephrosis, electron microscopic study of renal lesion, 115

Antibodies, distribution in mouse polyoma virus infection, 449

Antibody, circulating, delayed hypersensitivity in development of, effect of x-irradiation, 325

—, development and immunological characteristics in primary atypical pneumonia, 545

—, fluorescein-labelled, and cytological studies, intracellular localization of type 4 adenovirus, 85

Antibody, formation, adjuvant action of bacterial endotoxins on, 463

Antibody-antigen interaction on blood coagulation, 1

— soluble complexes having skin-irritating activity, physical properties, 127

Antigen, M, and capsule determining colony form of Group A streptococci, 257

—, purified protein, histologic response of spleen to single injection, 463

Antigen-antibody interaction on blood coagulation, 1

— soluble complexes having skin-irritating activity, physical properties, 127

Antigenic component of various Gram-positive bacterial species, polyglycerophosphate as, 361

Antigens, M and C, whole cells, and other components of cell on adrenalectomized rats, in studies on *Streptococcus pyogenes*, 589

Antiserum, specific, neutralization of infectivity by, immunological relationships of filterable agent causing leucemia, 217

Aorta, respiration and cytochrome oxidase activity in hypertension, 187

Ascites tumor cells, Krebs, cytotoxic action of immune gamma globulin and complement on, chemical studies, 511

— tumor cells, Krebs, cytotoxic action of immune gamma globulin and complement on, ultrastructural studies, 505

Atherosclerosis and cardiac infarcts, 293

Auto-allergic testis lesion, histologic study, 311

BACILLUS, tubercle, monocyte relationship, action of serum and cells, and modification of bacilli in immune system, 523
Bacterial endotoxins, adjuvant action on antibody formation, 463
— species, Gram-positive, polyglycerophosphate as antigenic component of, 361
Bicarbonate in RNA and protein syntheses, as indicated by virus propagation in human cells, 229
Biological activity of soluble antigen-antibody complexes, physical properties of soluble complexes having skin-irritating activity, 127
Blood coagulation, antigen-antibody interaction on, 1
— serum, human, effect on tissue cultures, 615

CALCULI, siliceous, artificial, relation of metabolism of silicon to, 601
Capsulated transformants of pneumococcus by genome of non-capsulated donor and recipient strains, determination of type, 429
Capsule and M antigen determining colony form of Group A streptococci, 257
Carbon-14 labelling of plasma proteins after plasmapheresis, 165
Carcinoma, mammary, rapid induction and influence of hormones on tumors, 25
Cardiac. *See* Heart.
Cells, Earle's strain L, fibroblast-like, resistance to toxic human serum in, 615
—, HeLa, adsorption, reception, and eclipse of poliovirus by, 487
—, HeLa, effect of diphtheria toxin on metabolism of, 145
—, HeLa, infected with type 4 adenovirus, deoxyribonucleic acid and protein alterations in, 407
Cells, human, bicarbonate in RNA and protein syntheses as indicated by virus propagation in, 229
—, Krebs ascites tumor, cytotoxic action of immune gamma globulin and complement on, chemical studies, 511
—, Krebs ascites tumor, cytotoxic action of immune gamma globulin and complement on, ultrastructural studies, 505
—, mammalian, *in vitro*, penetration of *Rickettsia tsutsugamushi*, 271
—, mammalian, molecular growth requirements, 649
—, monkey stable line, *in vitro* differentiation of virulent and attenuated polioviruses by growth characteristics on, 9
— and serum, action of, and modification of bacilli in immune system, in tubercle bacillus-monocyte relationship, 523
—, single, infections with ECHO 7 and Coxsackie A9 viruses, 393
—, single S3, quantitative growth in medium containing synthetic small molecular constituents and two protein fractions, 649
—, whole, M and C antigens, and other components of cells, effect on adrenalectomized rats, in studies on *Streptococcus pyogenes*, 589
Cellular component, toxic, of Group A streptococci as complex of group-specific C polysaccharide and protein, 43
— fractionation studies of intracellular localization of type 4 adenovirus, 69
—, intracellular localization of type 4 adenovirus, cytological and fluorescein-labelled antibody studies, 85
— transformation of injected colloidal iron complexes into ferritin and hemosiderin studied with electron microscopy, 197

Cell-virus, mammalian, relationship, adsorption, reception, and eclipse of poliovirus by HeLa cells, 487
—, mammalian, relationship, attachment of poliovirus to cultivated cells of primate and non-primate origin, 475
Chemical studies, cytotoxic action of immune gamma globulin and complement on Krebs ascites tumor cells, 511
Chylomicrons, human serum, separation and characterization, 239
Circulating antibody, delayed hypersensitivity in development of, effect of x-irradiation, 325
Coagulation, blood, antigen-antibody interaction on, 1
Collagen of skin, neutral salt-extractible, effect of vitamin C deficiency on, 557
— serum, rabbit anti-rat, in rats prepared with adjuvant, renal glomerular lesions induced by, 633
Colloidal iron complexes, injected into ferritin and hemosiderin, cellular transformation, studied with electron microscopy, 197
Complement and immune gamma globulin, cytotoxic action on Krebs ascites tumor cells, chemical studies, 511
— and immune gamma globulin, cytotoxic action on Krebs ascites tumor cells, ultrastructural studies, 505
Coxsackie A9 and ECHO 7 viruses, infections of single cells with, 393
Cultivated cells of primate and non-primate origin, attachment of poliovirus to, 475
Cultures, tissue, effect of human blood serum on, 615
Cytochrome oxidase activity and respiration of aorta in hypertension, 187
Cytological and fluorescein-labelled antibody studies, intracellular localization of type 4 adenovirus, 85
Cytotoxic action of immune gamma globulin and complement on Krebs ascites tumor cells, chemical studies, 511
— action of immune gamma globulin and complement on Krebs ascites tumor cells, ultrastructural studies, 505

DEFICIENCY, vitamin C, effect on neutral salt-extractible collagen of skin, 557
Deoxyribonucleic acid and protein alterations in HeLa cells infected with type 4 adenovirus, 407
— acid and serum factor in systemic lupus erythematosus, precipitin reaction between, 97
Dietary protein and protein depletion, influence in plasma protein turnover and tissue exchange, 173
Diphtheria toxin, effect on metabolism of HeLa cells, 145

ECHO 7 and Coxsackie A9 viruses, infections of single cells with, 393
Electron microscopic study of renal lesion, aminonucleoside nephrosis, 115
— microscopy, cellular transformation of injected colloidal iron complexes into ferritin and hemosiderin studied with, 197
Endotoxins, bacterial, adjuvant action on antibody formation, 463
Erythematosus, systemic lupus, precipitin reaction between DNA and serum factor in, 97
Extractible collagen of skin, by neutral salt, effect of vitamin C deficiency on, 557

FERRITIN and hemosiderin, cellular transformation of injected colloidal iron complexes into, studied with electron microscopy, 197
Fever, tuberculin, mechanism of fever in tuberculin hypersensitivity, 339

Fibroblast-like cells, resistance to toxic human serum in, 615
Filterable agent causing leucemia, immunological relationships, neutralization of infectivity by specific antiserum, 217
Fluid, extravascular and extracellular, depletion of reserve protein from, 165
Fluorescein-labelled antibody and cytological studies, intracellular localization of type 4 adenovirus, 85

GENOME of non-capsulated donor and recipient strains, in determination of type in capsulated transformants of pneumococcus by, 429
Globulin, immune gamma, and complement, cytotoxic action on Krebs ascites tumor cells, chemical studies, 511
—, immune gamma, and complement, cytotoxic action on Krebs ascites tumor cells, ultrastructural studies, 505
Glomerular lesions, renal, induced by rabbit anti-rat collagen serum in rats prepared with adjuvant, 633
Glycerophosphate, poly-, as antigenic component of Gram-positive bacterial species, 361
Grafts, skin, survival time of parathyroid transplants compared with that of, 571
Gram-positive bacterial species, polyglycerophosphate as antigenic component of, 361

HAPTOGLOBIN groups of human serum, heritable, physical characteristics of, 55
Heart infarcts and atherosclerosis, 293
HeLa cells, adsorption, reception, and eclipse of poliovirus by, 487
— cells, effect of diphtheria toxin on metabolism of, 145
HeLa cells, infected with type 4 adenovirus, deoxyribonucleic acid and protein alterations in, 407
Hemosiderin and ferritin, cellular transformation of injected colloidal iron complexes into, studied with electron microscopy, 197
Heritable haptoglobin groups of human serum, physical characteristics, 55
Histologic response of spleen to single injection of purified protein antigen, 463
— study of auto-allergic testis lesion, 311
Hormones, influence on tumors and rapid induction of mammary carcinoma, 25
Hypersensitivity in development of circulating antibody, effect of x-irradiation, 325
—, tuberculin, mechanism of fever in, 339
Hypertension, respiration and cytochrome oxidase activity of aorta in, 187

IMMUNE gamma globulin and complement, cytotoxic action on Krebs ascites tumor cells, chemical studies, 511
— gamma globulin and complement, cytotoxic action on Krebs ascites tumor cells, ultrastructural studies, 505
— system, modification of bacilli in, and action of serum and cells, in tubercle bacillus-monocyte relationship, 523
Immunological characteristics and development of antibody in primary atypical pneumonia, 545
— relationships of filterable agent causing leukemia, neutralization of infectivity by specific antiserum, 217
Infection, mouse polyoma virus, distribution of antibodies, 449
—, mouse polyoma virus, quantitation and detection of. 379

Infection, mouse polyoma virus, stability, 439
— with type 4 adenovirus, deoxyribonucleic acid and protein alterations in HeLa cells, 407
Infections of single cells with ECHO 7 and Coxsackie A9 viruses, 393
Infective virus in papillomas of cottontail rabbit, in studies on Shope papilloma virus, 423
Infectivity by specific antiserum, neutralization, immunological relationships of filterable agent causing leucemia, 217
Injection of colloidal iron complexes into ferritin and hemosiderin, cellular transformation, studies with electron microscopy, 197
—, single, of purified protein antigen, histologic response to, 463
Iron complexes, colloidal, injected into ferritin and hemosiderin, cellular transformation, studied with electron microscopy, 197
Irradiation, effect in delayed hypersensitivity in development of circulating antibody, 325
Irritating activity, skin, physical properties of soluble complexes having, 127

KIDNEY, glomerular lesions induced by rabbit anti-rat collagen serum in rats prepared with adjuvant, 633
— lesion, electron microscopic study, aminonucleoside nephrosis, 115
Krebs ascites tumor cells, cytotoxic action of immune gamma globulin and complement on, chemical studies, 511
— ascites tumor cells, cytotoxic action of immune gamma globulin and complement on, ultrastructural studies, 505

LESION, auto-allergic testis, histologic study, 311
—, renal, electron microscopic study, aminonucleoside nephrosis, 115
Lesions, glomerular, renal, induced by rabbit anti-rat collagen serum in rats prepared with adjuvant, 633
Leucemia, filterable agent causing, immunological relationships, neutralization of infectivity by specific antiserum, 217
Lupus erythematosus, systemic, precipitin reaction between DNA and serum factor in, 97

MAMMALIAN cells *in vitro*, penetration of *Rickettsia tsutsugamushi*, 271
— cells, molecular growth requirements, 649
— cell-virus relationship, adsorption, reception, and eclipse of poliovirus by HeLa cells, 487
— cell-virus relationship, attachment of poliovirus to cultivated cells of primate and non-primate origin, 475
Mammary carcinoma, rapid induction and influence of hormones on tumors, 25
Man blood serum, effect on tissue cultures, 615
— cells, bicarbonate in RNA and protein syntheses as indicated by virus propagation in, 229
— serum chylomicrons, separation and characterization, 239
— serum, physical characteristics of heritable haptoglobin groups of, 55
— serum, toxic, resistance to in fibroblast-like cells, 615
Medium containing synthetic small molecular constituents and two protein fractions, quantitative colonial growth of single S3 cells in, 649
Metabolism of HeLa cells, effect of diphtheria toxin on, 145
— of silicon, relation to formation of artificial siliceous calculi, 601
Microscopic study, electron, of renal lesion, aminonucleoside nephrosis, 115
Microscopy, electron, cellular trans-

formation of injected colloidal iron complexes into ferritin and hemosiderin studied with, 197
Molecular constituents, synthetic small, and two protein fractions, quantitative colonial growth of single S3 cells in medium containing, 649
— growth requirements of single mammalian cells, 649
Monocyte-tubercle bacillus relationship, action of serum and cells, and modification of bacilli in immune system, 523

NEPHROSIS, aminonucleoside, electron microscopic study of renal lesion, 115
Nucleic acid, deoxyribo-, and protein alterations in HeLa cells infected with type 4 adenovirus, 407
— acid, deoxyribo-, and serum factor in lupus erythematosus, precipitin reaction between, 97
— acid, ribo-, and protein syntheses, bicarbonate in, as indicated by virus propagation in human cells, 229
Nucleoside nephrosis, amino-, electron microscopic study of renal lesion, 115

OXIDASE activity, cytochrome, and respiration of aorta in hypertension, 187

PAPILLOMA virus, Shope, location of infective virus in papillomas of cottontail rabbit, 423
Parathyroid transplants, comparison of survival time with that of skin grafts, 571
Phosphate, polyglycero-, as antigenic component of Gram-positive bacterial species, 361
Physical characteristics of heritable haptoglobin groups of human serum, 55
— properties of soluble complexes having skin-irritating activity, 127
Plasma protein turnover and tissue exchange, influence of dietary protein and protein depletion, 173
— proteins after plasmapheresis, carbon-14 labelling of, 165
Plasmapheresis, carbon-14 labelling of plasma proteins after, 165
Pneumococcus, capsulated transformants of, determination of type by genome of non-capsulated donor and recipient strain, 429
Pneumonia, primary atypical, development and immunological characteristics of antibody, 545
Poliomyelitis virus, adsorption, reception, and eclipse by HeLa cells, 487
— virus, attachment to cultivated cells of primate and non-primate origin, 475
— viruses, virulent and attenuated, *in vitro* differentiation by growth characteristics on MS cells, 9
Polyglycerophosphate as antigenic component of Gram-positive bacterial species, 361
Polyoma virus infection, mouse, distribution of antibodies, 449
— virus infection, mouse, quantitation and detection of virus, 379
— virus infection, mouse, stability, 439
Polysaccharide, group-specific C, and protein, toxic cellular component of Group A streptococci as complex of, 43
Precipitin reaction between DNA and serum factor in systemic lupus erythematosus, 97
Primate and non-primate origin, attachment of poliovirus to cultivated cells of, 475
Protein antigen, purified, histologic response of spleen to single injection of, 463
— and deoxyribonucleic acid alterations in HeLa cells infected with type 4 adenovirus, 407
—, dietary, and depletion of, influence in plasma protein turnover and tissue exchange, 173

Protein fractions, two, and synthetic small molecular constituents, quantitative colonial growth of single S3 cells in medium containing, 649
— and group-specific C polysaccharide, toxic cellular component of Group A streptococci as complex of, 43
—, plasma, turnover and tissue exchange, influence of dietary protein and protein depletion, 173
—, reserve, depletion from extravascular extracellular fluid, 165
— syntheses and ribonucleic acid, bicarbonate in, as indicated by virus propagation in human cells, 229
Proteins, plasma, after plasmapheresis, carbon-14 labelling of, 165

RADIOACTIVE carbon-labelled proteins after plasmapheresis, 165
— fluorescein-labelled antibody and cytological studies, intracellular localization of type 4 adenovirus, 85
Reaction, precipitin, between DNA and serum factor in systemic lupus erythematosus, 97
Renal. *See* Kidney.
Resistance to toxic human serum in fibroblast-like cells, 615
Respiration and cytochrome oxidase activity of aorta in hypertension, 187
Ribonucleic acid, deoxy-, and protein alterations in HeLa cells infected with type 4 adenovirus, 407
— acid, deoxy-, and serum factor in systemic lupus erythematosus, precipitin reaction between, 97
— acid and protein syntheses, bicarbonate in, as indicated by virus propagation in human cells, 229
Rickettsia tsutsugamushi, penetration into mammalian cells *in vitro*, 271

SALT-EXTRACTIBLE collagen of skin, neutral, effect of vitamin C deficiency on, 557
Serum and cells, action of, and modification of bacilli in immune system, in tubercle bacillus-monocyte relationship, 523
— chylomicrons, human, separation and characterization, 239
— factor in systemic lupus erythematosus and DNA, precipitin reaction between, 97
—, human blood, effect on tissue cultures, 615
—, human, physical characteristics of heritable haptoglobin groups of, 55
—, rabbit anti-rat collagen, in rats prepared with adjuvant, renal glomerular lesions induced by, 633
—, toxic human, resistance to in fibroblast-like cells, 615
Shope papilloma virus, location of infective virus in papillomas of cottontail rabbit, 423
Silicon, metabolism, relation to formation of artificial siliceous calculi, 601
Skin, effect of vitamin C deficiency on neutral salt-extractible collagen of, 557
— grafts, survival time of parathyroid transplants compared with that of, 571
Skin-irritating activity, physical properties of soluble complexes, 127
Soluble antigen-antibody complexes, biological activity, physical properties of soluble complexes having skin-irritating activity, 127
Specific antiserum, neutralization of infectivity by, immunological relationships of filterable agent causing leucemia, 217
—, group-, C polysaccharide and protein, toxic cellular component of Group A streptococci as complex of, 43

Spleen, histologic response to single injection of purified protein antigen, 463
Streptococci, Group A, as complex of group-specific C polysaccharide and protein, toxic cellular component of, 43
—, Group A, capsule and M antigen determining colony form of, 257
Streptococcus pyogenes, effect of whole cells, M and C antigens, and other components of cell on adrenalectomized rats, 589
Survival time of parathyroid transplants compared with that of skin grafts, 571

TESTIS lesion, auto-allergic, histologic study, 311
Tissue cultures, effect of human blood serum on, 615
— exchange and plasma protein turnover, influence of dietary protein and protein depletion, 173
Toxic cellular component of Group A streptococci as complex of group-specific C polysaccharide and protein, 43
— human serum, resistance to in fibroblast-like cells, 615
Toxin, diphtheria, effect on metabolism of HeLa cells, 145
Transplants, parathyroid, comparison of survival time with that of skin grafts, 571
Tubercle bacillus–monocyte relationship, action of serum and cells, and modification of bacilli in immune system, 523
Tuberculin fever, mechanism of fever in tuberculin hypersensitivity, 339
Tumor cells, Krebs ascites, cytotoxic action of immune gamma globulin and complement on, chemical studies, 511
— cells, Krebs ascites, cytotoxic action of immune gamma globulin and complement on, ultrastructural studies, 505
Tumors, rapid induction of mammary carcinoma and influence of hormones on, 25

ULTRASTRUCTURAL studies, cytotoxic action of immune gamma globulin and complement on Krebs ascites tumor cells, 505

VIRULENT and attenuated polioviruses, *in vitro* differentiation by growth characteristics on MS cells, 9
Virus, adeno-, type 4, deoxyribonucleic acid and protein alterations in HeLa cells infected with, 407
—, adeno-, type 4, intracellular localization, cytological and fluorescein-labelled antibody studies, 85
—, adeno-, type 4, intracellular localization in fractionation studies, 69
— infection, mouse polyoma, distribution of antibodies, 449
— infection, mouse polyoma, quantitation and detection of, 379
— infection, mouse polyoma, stability, 439
—, poliomyelitis, adsorption, reception, and eclipse by HeLa cells, 487
—, poliomyelitis, attachment to cultivated cells of primate and nonprimate origin, 475
— propagation in human cells, bicarbonate in RNA and protein syntheses indicated by, 229
—, Shope papilloma, location of infective virus in papillomas of cottontail rabbit, 423
Viruses, ECHO 7 and Coxsackie A9, infections of single cells with, 393
—, poliomyelitis, virulent and attenuated, *in vitro* differentiation by growth characteristics on MS cells, 9
Vitamin C deficiency, effect on neutral salt-extractible collagen of skin, 557